

Dohasys

Stylish Digital Poster Screen



www.dohasys.com




Light Weight



High Refresh



Easy Installation





Big Perspective





Easy Maintain

Thin & Light Weight



The screen has slim and light weight body but it is very durable because of high-strength aluminum profile material. Considering that the whole screen only weighs 45kg, it is very portable and easy to install.


Network Integration




Stand-Alone Mode



Multi-screen Mode



Wireless Multi-screen Mode



Mirroring Mode



Extended Mode

Remote centralized-control enables users control all the screens and manage digital content just at their offices. Besides, the controlling system supports mirroring mode and extended mode.


Product Design

HD seamless display and Plug&Play media player are provided. The digital content can be easily transferred to build-in media player by using WIFI or USB.



Colorful Design

- Red
- Brownness
- Orange
- Blue
- Purple
- Silver
- Green



Function

Standard Accessories



Power Cable(2m)



Network Cable(2m)




HDMI Cable(2m)

SPECIFICATIONS

Parameter	M2	M2.5
Pixel Configuration	SMD1515	SMD2020
Pixel Pitch (mm)	2	2.5
Pixel matrix per panel	320x960	256x768
Cabinet Dimensions (LxWxH)/ (mm)	Case Size: 695x1975x101 Display Size: 640x1920	Case Size: 695x1975x101 Display Size: 640x1920
Module Dimensions (LxWxH)/ (mm)	320x160x14.5	320x160x14.5
Panel Material	Aluminum profile	Aluminum profile
Cabinet Weight (kg/panel)	45	45
Module Weight (kg/panel)	0.45	0.45
Signal Input Type	HDMI/WIFI(app)/USB	HDMI/WIFI(app)/USB
Gray Scale per Color (level)	≥16384	≥16384
Refresh Rate (Hz)	1920	1920
AC Input Voltage (V)	AC:100~240V±10%	AC:100~240V±10%
Brightness (nit)	800	800
Pixel View (horizontal / vertical) (°)	140/140	140/140
Power (maximum / average)	880/293	600/199
Working Temperature (°C)	-10~40	-10~40
IP Rating (Front/Rear)	IP30/IP30	IP30/IP30
Working Humidity (RH)	10%~60% non-condensing	10%~60% non-condensing
Cabinet Installation Type	Hanging/Standing	Hanging/Standing

Customization

Centralized-control/Hanging/Wall-mounting



Multiple Installing Options


The screen has Fold-out standing, hanging and wall-mounting installing options with vertical, horizontal and sideling installing positions available. Among these options, Fold-out standing option is movable and more flexible.



Fold-out Standing



Sideling Installation



Hanging Installation



Shaping Installation

